BRATZ et al., Ser. No. 10/043,241

## IN THE CLAIMS

- 10. (previously presented) A solid mixture comprising
- a) a sulfonylurea herbicide, and
- b) an alkylpolyglycoside.
- 11. (currently amended) The solid mixture as claimed in claim 10, comprising a sulfonylurea of formula III

where:

R<sup>1</sup> is

 $C_1$ - $C_4$ -alkyl, which may carry from one to five of the following groups: methoxy, ethoxy,  $SO_2CH_3$ , cyano, chlorine, fluorine,  $SCH_3$ , and  $S(O)CH_3$ ,

halogen,

a group ER19 in which E is O, S or NR20,

COOR<sup>12</sup>,

NO<sub>2</sub>,

 $S(O)_{n}R^{17}$ ,  $SO_{2}NR^{15}R^{16}$  or  $CONR^{13}R^{14}$ ;

BRATZ et al., Ser. No. 10/043,241

R<sup>2</sup> is hydrogen, methyl, halogen, methoxy, nitro, cyano, trifluoromethyl, trifluoromethoxy, difluoromethoxy or methylthio;

Y is F, CF<sub>3</sub>, CF<sub>2</sub>Cl, CF<sub>2</sub>H, OCF<sub>3</sub>, OCF<sub>2</sub>Cl, C<sub>1</sub>-C<sub>4</sub>-alkyl or C<sub>1</sub>-C<sub>4</sub>-alkoxy;

X is  $C_1-C_2$ -alkoxy,  $C_1-C_2$ -alkyl,  $C_1-C_2$ -alkylthio,  $C_1-C_2$ -alkylamino,

di-C<sub>1</sub>-C<sub>2</sub>-alkylamino, halogen, C<sub>1</sub>-C<sub>2</sub>-haloalkyl, C<sub>1</sub>-C<sub>2</sub>-haloalkoxy;

R is hydrogen or methyl;

 $R^{19}$  is  $C_1$ - $C_4$ -alkyl,  $C_2$ - $C_4$ -alkenyl,  $C_2$ - $C_4$ -alkynyl or  $C_3$ - $C_6$ -

cycloalkyl, each of which may carry from 1 to 5 halogen atoms. Furthermore, in the case that E is O or NR<sup>20</sup>, R<sup>19</sup> is also methylsulfonyl, ethylsulfonyl, trifluoromethylsulfonyl, allylsulfonyl, propargylsulfonyl or dimethylsulfamoyl;

R<sup>20</sup> is hydrogen, methyl or ethyl;

 $R^{12}$  is a  $C_1$ - $C_4$ -alkyl group which may carry up to three of the following radicals: halogen,  $C_1$ - $C_4$ -alkoxy, allyl or propargyl;

R<sup>17</sup> is a  $C_1$ - $C_4$ -alkyl group which may carry from one to three of the following radicals: halogen,  $C_1$ - $C_4$ -alkoxy, allyl or propargyl;

R<sup>15</sup> is hydrogen, a C<sub>1</sub>-C<sub>2</sub>-alkoxy group or a C<sub>1</sub>-C<sub>4</sub>-alkyl group;

R<sup>16</sup> is hydrogen or a C<sub>1</sub>-C<sub>4</sub>-alkyl group;

 $R^{13}$  is H,  $C_1$ - $C_4$ -alkyl, or  $C_1$ - $C_4$ -alkoxy;

 $R^{14}$  is  $C_1$ - $C_4$ -alkyl;

<del>n is 1 - 2;</del> and

Z is N or CH.

12. (previously presented) The solid mixture as claimed in claim 10, comprising a

BRATZ et al., Ser. No. 10/043,241

further herbicidally active compound c).

- 13. (previously presented) The solid mixture as claimed in claim 10, comprising from 0.5 to 75% by weight of the component a).
- 14. (previously presented) The solid mixture as claimed in claim 10, comprising from 1 to 50% by weight of the component b).
- 15. (previously presented) The solid mixture as claimed in claim 10, comprising an alkylpolyglycoside having a degree of polymerization of 1-3.
- 16. (previously presented) The solid mixture as claimed in claim 15, comprising an alkylpolyglycoside having a degree of polymerization of 1-2.
- 17. (previously presented) A method of controlling undesirable plant growth, which comprises treating the plants and/or the area to be kept free of the plants with a herbicidal amount of a solid mixture as claimed in claim 1.
  - 18. (canceled)